

# Auburn Fire Rescue Department

Auburn, MA

This report was generated on 12/31/2018 11:35:27 AM



## Daily Log Items for Activity Code for Apparatus for Date Range

Activity Codes: Alarm - Alarm Response | Apparatus: All Apparatus | Start Date: 12/24/2018 | End Date: 12/30/2018

START DATE	END DATE	STATION	NOTES
12/24/2018 09:13:23	12/24/2018 09:28:16	HQ - Headquarters	Incident 2018-3803 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 202 PAKACHOAG ST
12/24/2018 09:14:13	12/24/2018 09:28:18	HQ - Headquarters	Incident 2018-3803 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 202 PAKACHOAG ST
12/24/2018 10:12:19	12/24/2018 10:22:54	HQ - Headquarters	Incident 2018-3804 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 460 SOUTHBRIDGE ST
12/24/2018 10:38:08	12/24/2018 10:56:57	02 - Station 2	Incident 2018-3805 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 8 MOUNT VIEW AVE
12/24/2018 10:39:34	12/24/2018 10:57:07	HQ - Headquarters	Incident 2018-3805 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 8 MOUNT VIEW AVE
12/24/2018 10:49:12	12/24/2018 11:06:02	HQ - Headquarters	Incident 2018-3806 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 5 MONTCLAIR DR
12/24/2018 10:50:09	12/24/2018 11:06:12	02 - Station 2	Incident 2018-3806 - EMS call, excluding vehicle accident with injury: Apparatus C-10 responded to 5 MONTCLAIR DR
12/24/2018 11:30:45	12/24/2018 11:49:24	HQ - Headquarters	Incident 2018-3807 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to OXFORD STREET NO
12/24/2018 11:31:23	12/24/2018 11:56:55	HQ - Headquarters	Incident 2018-3807 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to OXFORD STREET NO
12/24/2018 11:49:56	12/24/2018 12:37:26	HQ - Headquarters	Incident 2018-3808 - Gas leak (natural gas or LPG): Apparatus E-3 responded to 385 SOUTHBRIDGE ST
12/24/2018 11:50:08	12/24/2018 11:56:32	02 - Station 2	Incident 2018-3808 - Gas leak (natural gas or LPG): Apparatus A-2 responded to 385 SOUTHBRIDGE ST
12/24/2018 12:03:29	12/24/2018 12:37:33	HQ - Headquarters	Incident 2018-3808 - Gas leak (natural gas or LPG): Apparatus R-1 responded to 385 SOUTHBRIDGE ST
12/24/2018 12:04:54	12/24/2018 12:37:37	HQ - Headquarters	Incident 2018-3808 - Gas leak (natural gas or LPG): Apparatus T-1 responded to 385 SOUTHBRIDGE ST
12/24/2018 12:11:00	12/24/2018 12:37:31	AFD - AFD	Incident 2018-3808 - Gas leak (natural gas or LPG): Apparatus C-2 responded to 385 SOUTHBRIDGE ST
12/24/2018 12:18:00	12/24/2018 12:31:00	HQ - Headquarters	Incident 2018-3810 - EMS call, excluding vehicle accident with injury: Apparatus C-11 responded to 17 Bridge ST
12/24/2018 14:09:34	12/24/2018 14:44:23	02 - Station 2	Incident 2018-3809 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 813 SOUTHBRIDGE ST
12/24/2018 14:12:18	12/24/2018 14:44:26	02 - Station 2	Incident 2018-3809 - EMS call, excluding vehicle accident with injury: Apparatus C-10 responded to 813 SOUTHBRIDGE ST
12/24/2018 18:39:40	12/24/2018 18:52:23	02 - Station 2	Incident 2018-3823 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 669 WASHINGTON ST
12/24/2018 18:41:00	12/24/2018 18:52:27	02 - Station 2	Incident 2018-3823 - EMS call, excluding vehicle accident with injury: Apparatus C-10 responded to 669 WASHINGTON ST
12/24/2018 19:24:32	12/24/2018 19:32:31	HQ - Headquarters	Incident 2018-3824 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 5 CRANBERRY LN
12/24/2018 23:43:33	12/25/2018 00:03:49	HQ - Headquarters	Incident 2018-3825 - Lock-out: Apparatus E-3 responded to 30 BURNAP ST
12/24/2018 23:56:08	12/25/2018 00:14:36	02 - Station 2	Incident 2018-3826 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 14 MASONIC CIR
12/25/2018 00:07:21	12/25/2018 00:14:33	02 - Station 2	Incident 2018-3827 - EMS call, excluding vehicle accident with injury: Apparatus C-10 responded to 206 WEST ST
12/25/2018 00:07:34	12/25/2018 00:14:30	HQ - Headquarters	Incident 2018-3827 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 206 WEST ST
12/25/2018 01:18:00	12/25/2018 03:41:49	02 - Station 2	Incident 2018-3828 - EMS call, excluding vehicle accident with injury: Apparatus C-10 responded to 403 ROCHDALE ST
12/25/2018 01:18:04	12/25/2018 03:41:52	02 - Station 2	Incident 2018-3828 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 403 ROCHDALE ST
12/25/2018 01:20:00	12/25/2018 02:06:42	HQ - Headquarters	Incident 2018-3828 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 403 ROCHDALE ST

Displays all Daily Log Items for the provided DATE RANGE, ACTIVITY CODE and selected APPARATUS. The Report does not include Daily Log entries where an APPARATUS was not selected.

START DATE	END DATE	STATION	NOTES
12/25/2018 01:30:00	12/25/2018 01:50:00	HQ - Headquarters	Incident 2018-3830 - Assist police or other governmental agency: Apparatus E-3 responded to 401 Rochdale ST
12/25/2018 03:39:00	12/25/2018 04:00:00	HQ - Headquarters	Incident 2018-3829 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 416 Oxford ST N
12/25/2018 10:45:25	12/25/2018 11:02:31	HQ - Headquarters	Incident 2018-3831 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 2 WHITNEY CIR
12/25/2018 10:46:10	12/25/2018 11:02:35	HQ - Headquarters	Incident 2018-3831 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 2 WHITNEY CIR
12/25/2018 13:52:03	12/25/2018 14:08:02	HQ - Headquarters	Incident 2018-3832 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 20 PAUL ST
12/25/2018 13:52:09	12/25/2018 14:07:59	HQ - Headquarters	Incident 2018-3832 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 20 PAUL ST
12/25/2018 14:21:07	12/25/2018 14:31:12	02 - Station 2	Incident 2018-3833 - Good intent call, other: Apparatus A-2 responded to 1 ANNABERRY LN A
12/25/2018 14:28:00	12/25/2018 14:53:51	HQ - Headquarters	Incident 2018-3834 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 8 PIONEER LN
12/25/2018 14:28:00	12/25/2018 14:54:00	HQ - Headquarters	Incident 2018-3834 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 8 PIONEER LN
12/25/2018 15:12:58	12/25/2018 15:27:08	HQ - Headquarters	Incident 2018-3835 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 3 FRANCIS ST
12/25/2018 15:13:52	12/25/2018 15:27:05	02 - Station 2	Incident 2018-3835 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 3 FRANCIS ST
12/25/2018 22:46:45	12/25/2018 23:23:14	02 - Station 2	Incident 2018-3836 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 667 WASHINGTON ST
12/25/2018 22:59:59	12/25/2018 23:19:13	HQ - Headquarters	Incident 2018-3837 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 14 MASONIC CIR
12/25/2018 23:05:09	12/25/2018 23:19:05	HQ - Headquarters	Incident 2018-3837 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 14 MASONIC CIR
12/26/2018 08:17:04	12/26/2018 08:38:12	HQ - Headquarters	Incident 2018-3838 - Alarm system sounded due to malfunction: Apparatus E-3 responded to 10 CHURCH ST
12/26/2018 08:17:09	12/26/2018 08:38:25	HQ - Headquarters	Incident 2018-3838 - Alarm system sounded due to malfunction: Apparatus T-1 responded to 10 CHURCH ST
12/26/2018 08:17:29	12/26/2018 08:38:14	02 - Station 2	Incident 2018-3838 - Alarm system sounded due to malfunction: Apparatus R-2 responded to 10 CHURCH ST
12/26/2018 08:42:24	12/26/2018 09:05:49	02 - Station 2	Incident 2018-3839 - EMS call, excluding vehicle accident with injury: Apparatus R-2 responded to 5 CRANBERRY LN
12/26/2018 08:44:58	12/26/2018 09:05:46	HQ - Headquarters	Incident 2018-3839 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 5 CRANBERRY LN
12/26/2018 10:47:51	12/26/2018 10:55:46	HQ - Headquarters	Incident 2018-3840 - Alarm system sounded due to malfunction: Apparatus E-3 responded to 10 CHURCH ST
12/26/2018 11:49:05	12/26/2018 12:08:40	HQ - Headquarters	Incident 2018-3841 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 250 HAMPTON ST
12/26/2018 13:02:44	12/26/2018 13:13:02	HQ - Headquarters	Incident 2018-3842 - Alarm system sounded due to malfunction: Apparatus E-3 responded to 10 CHURCH ST
12/26/2018 13:28:40	12/26/2018 14:09:29	02 - Station 2	Incident 2018-3843 - Motor vehicle accident with injuries: Apparatus R-2 responded to 861 SOUTHBRIDGE ST
12/26/2018 13:29:33	12/26/2018 13:43:59	HQ - Headquarters	Incident 2018-3843 - Motor vehicle accident with injuries: Apparatus A-1 responded to 861 SOUTHBRIDGE ST
12/26/2018 14:06:13	12/26/2018 14:20:57	HQ - Headquarters	Incident 2018-3844 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 25 ROCKLAND RD
12/26/2018 14:07:06	12/26/2018 14:20:56	HQ - Headquarters	Incident 2018-3844 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 25 ROCKLAND RD
12/26/2018 14:12:27	12/26/2018 14:23:44	02 - Station 2	Incident 2018-3845 - Smoke detector activation due to malfunction: Apparatus R-2 responded to 10 CHURCH ST
12/26/2018 15:04:44	12/26/2018 15:24:19	HQ - Headquarters	Incident 2018-3846 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 1203 FOREST PARK DR
12/26/2018 15:05:47	12/26/2018 15:23:45	HQ - Headquarters	Incident 2018-3846 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 1203 FOREST PARK DR
12/26/2018 15:23:49	12/26/2018 15:50:36	02 - Station 2	Incident 2018-3847 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 611 SOUTHBRIDGE ST
12/26/2018 15:23:50	12/26/2018 15:50:40	HQ - Headquarters	Incident 2018-3847 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 611 SOUTHBRIDGE ST

Displays all Daily Log Items for the provided DATE RANGE, ACTIVITY CODE and selected APPARATUS. The Report does not include Daily Log entries where an APPARATUS was not selected.

START DATE	END DATE	STATION	NOTES
12/26/2018 21:05:17	12/26/2018 21:28:53	HQ - Headquarters	Incident 2018-3848 - Public service: Apparatus E-3 responded to 41 HAMPTON ST
12/26/2018 23:44:22	12/26/2018 23:53:23	HQ - Headquarters	Incident 2018-3849 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 192 AUBURN ST 2
12/26/2018 23:44:26	12/26/2018 23:53:29	HQ - Headquarters	Incident 2018-3849 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 192 AUBURN ST 2
12/27/2018 06:02:21	12/27/2018 06:17:35	02 - Station 2	Incident 2018-3850 - Carbon monoxide incident: Apparatus R-2 responded to 105 TINKER HILL RD
12/27/2018 06:29:06	12/27/2018 06:48:33	02 - Station 2	Incident 2018-3851 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 667 WASHINGTON ST 114
12/27/2018 06:53:58	12/27/2018 07:03:59	HQ - Headquarters	Incident 2018-3852 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 7 DUNCAN ST
12/27/2018 08:51:17	12/27/2018 09:14:38	02 - Station 2	Incident 2018-3853 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 667 WASHINGTON ST 217
12/27/2018 08:53:42	12/27/2018 09:14:36	02 - Station 2	Incident 2018-3853 - EMS call, excluding vehicle accident with injury: Apparatus C-10 responded to 667 WASHINGTON ST 217
12/27/2018 10:34:36	12/27/2018 10:55:07	HQ - Headquarters	Incident 2018-3854 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 23 WINCHESTER AVE
12/27/2018 10:36:07	12/27/2018 10:55:14	HQ - Headquarters	Incident 2018-3854 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 23 WINCHESTER AVE
12/27/2018 12:24:29	12/27/2018 12:37:00	02 - Station 2	Incident 2018-3855 - EMS call, excluding vehicle accident with injury: Apparatus C-10 responded to 820 SOUTHBRIDGE ST
12/27/2018 12:24:49	12/27/2018 12:35:07	02 - Station 2	Incident 2018-3855 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 820 SOUTHBRIDGE ST
12/27/2018 13:50:00	12/27/2018 14:15:00	AFD - AFD	Incident 2018-3862 - Ring or jewelry removal: Apparatus Other responded to 47 AUBURN ST
12/27/2018 14:20:23	12/27/2018 14:38:17	02 - Station 2	Incident 2018-3856 - EMS call, excluding vehicle accident with injury: Apparatus C-10 responded to 14 MASONIC CIR
12/27/2018 14:20:23	12/27/2018 14:38:17	02 - Station 2	Incident 2018-3856 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 14 MASONIC CIR
12/27/2018 14:27:30	12/27/2018 14:41:24	HQ - Headquarters	Incident 2018-3857 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 1 JOHNSON ST
12/27/2018 14:27:36	12/27/2018 14:41:28	HQ - Headquarters	Incident 2018-3857 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 1 JOHNSON ST
12/27/2018 15:25:40	12/27/2018 15:49:28	02 - Station 2	Incident 2018-3858 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 667 WASHINGTON ST
12/27/2018 15:26:22	12/27/2018 15:49:30	02 - Station 2	Incident 2018-3858 - EMS call, excluding vehicle accident with injury: Apparatus C-10 responded to 667 WASHINGTON ST
12/27/2018 15:54:15	12/27/2018 16:14:53	HQ - Headquarters	Incident 2018-3859 - Oil or other combustible liquid spill: Apparatus E-3 responded to 11 CEDAR ST
12/27/2018 16:16:00	12/27/2018 16:25:00	HQ - Headquarters	Incident 2018-3861 - Smoke scare, odor of smoke: Apparatus E-3 responded to 165 South ST
12/27/2018 19:23:20	12/27/2018 19:32:40	HQ - Headquarters	Incident 2018-3860 - Smoke detector activation due to malfunction: Apparatus E-3 responded to 10 CHURCH ST
12/28/2018 02:01:42	12/28/2018 02:14:56	HQ - Headquarters	Incident 2018-3863 - Smoke detector activation due to malfunction: Apparatus E-3 responded to 10 CHURCH ST
12/28/2018 08:26:38	12/28/2018 08:44:29	HQ - Headquarters	Incident 2018-3864 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 104 OLD COMMON RD
12/28/2018 08:26:56	12/28/2018 08:44:32	HQ - Headquarters	Incident 2018-3864 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 104 OLD COMMON RD
12/28/2018 10:28:25	12/28/2018 10:49:00	02 - Station 2	Incident 2018-3866 - EMS call, excluding vehicle accident with injury: Apparatus C-10 responded to 17 Tinker Hill RD
12/28/2018 10:28:25	12/28/2018 10:49:00	02 - Station 2	Incident 2018-3866 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 17 Tinker Hill RD
12/28/2018 10:33:43	12/28/2018 10:46:00	HQ - Headquarters	Incident 2018-3865 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 45 HILL ST
12/28/2018 10:34:02	12/28/2018 10:46:09	HQ - Headquarters	Incident 2018-3865 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 45 HILL ST
12/28/2018 14:46:01	12/28/2018 14:56:30	HQ - Headquarters	Incident 2018-3867 - Lock-out: Apparatus E-3 responded to 319 OXFORD STREET NO
12/28/2018 15:53:01	12/28/2018 16:09:01	HQ - Headquarters	Incident 2018-3868 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 41 HAMPTON ST

Displays all Daily Log Items for the provided DATE RANGE, ACTIVITY CODE and selected APPARATUS. The Report does not include Daily Log entries where an APPARATUS was not selected.

START DATE	END DATE	STATION	NOTES
12/28/2018 15:53:07	12/28/2018 16:09:03	HQ - Headquarters	Incident 2018-3868 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 41 HAMPTON ST
12/28/2018 16:20:02	12/28/2018 16:33:42	HQ - Headquarters	Incident 2018-3869 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 385 SOUTHBRIDGE ST
12/28/2018 16:21:12	12/28/2018 16:33:48	02 - Station 2	Incident 2018-3869 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 385 SOUTHBRIDGE ST
12/28/2018 18:13:00	12/28/2018 18:39:12	HQ - Headquarters	Incident 2018-3870 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 9 FIELD ST
12/28/2018 18:18:22	12/28/2018 18:39:13	HQ - Headquarters	Incident 2018-3870 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 9 FIELD ST
12/28/2018 22:13:48	12/28/2018 22:25:21	HQ - Headquarters	Incident 2018-3871 - Smoke detector activation due to malfunction: Apparatus E-3 responded to 24 CHESTNUT AVE
12/28/2018 22:14:39	12/28/2018 22:25:18	HQ - Headquarters	Incident 2018-3871 - Smoke detector activation due to malfunction: Apparatus T-1 responded to 24 CHESTNUT AVE
12/28/2018 22:15:16	12/28/2018 22:25:15	02 - Station 2	Incident 2018-3871 - Smoke detector activation due to malfunction: Apparatus A-2 responded to 24 CHESTNUT AVE
12/28/2018 22:15:19	12/28/2018 22:25:13	02 - Station 2	Incident 2018-3871 - Smoke detector activation due to malfunction: Apparatus E-1 responded to 24 CHESTNUT AVE
12/28/2018 22:43:03	12/28/2018 22:58:24	HQ - Headquarters	Incident 2018-3872 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 88 BANCROFT ST
12/28/2018 22:43:08	12/28/2018 22:58:26	HQ - Headquarters	Incident 2018-3872 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 88 BANCROFT ST
12/28/2018 23:36:41	12/29/2018 00:07:20	HQ - Headquarters	Incident 2018-3873 - Motor vehicle accident with injuries: Apparatus A-1 responded to 35 CHESTNUT AVE
12/28/2018 23:36:46	12/29/2018 00:13:06	HQ - Headquarters	Incident 2018-3873 - Motor vehicle accident with injuries: Apparatus E-3 responded to 35 CHESTNUT AVE
12/29/2018 05:37:45	12/29/2018 05:55:55	02 - Station 2	Incident 2018-3874 - Alarm system activation, no fire - unintentional: Apparatus E-1 responded to 28 MILLBURY ST
12/29/2018 05:37:51	12/29/2018 05:55:58	02 - Station 2	Incident 2018-3874 - Alarm system activation, no fire - unintentional: Apparatus A-2 responded to 28 MILLBURY ST
12/29/2018 05:38:21	12/29/2018 05:56:05	HQ - Headquarters	Incident 2018-3874 - Alarm system activation, no fire - unintentional: Apparatus T-1 responded to 28 MILLBURY ST
12/29/2018 05:38:29	12/29/2018 05:56:02	HQ - Headquarters	Incident 2018-3874 - Alarm system activation, no fire - unintentional: Apparatus E-3 responded to 28 MILLBURY ST
12/29/2018 08:46:44	12/29/2018 09:03:40	02 - Station 2	Incident 2018-3875 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 667 WASHINGTON ST 133
12/29/2018 08:48:08	12/29/2018 09:03:34	HQ - Headquarters	Incident 2018-3875 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 667 WASHINGTON ST 133
12/29/2018 09:55:44	12/29/2018 10:09:26	HQ - Headquarters	Incident 2018-3876 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 460 SOUTHBRIDGE ST
12/29/2018 10:31:59	12/29/2018 11:00:19	HQ - Headquarters	Incident 2018-3877 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 47 WASHINGTON ST 35
12/29/2018 10:37:20	12/29/2018 10:53:42	02 - Station 2	Incident 2018-3878 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 4 DEERFIELD CIR
12/29/2018 12:42:15	12/29/2018 12:56:58	02 - Station 2	Incident 2018-3879 - Power line down: Apparatus E-1 responded to 619 SOUTHBRIDGE ST
12/29/2018 13:08:28	12/29/2018 13:21:18	02 - Station 2	Incident 2018-3880 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 669 WASHINGTON ST
12/29/2018 13:09:32	12/29/2018 13:20:30	HQ - Headquarters	Incident 2018-3880 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 669 WASHINGTON ST
12/29/2018 13:12:35	12/29/2018 13:24:29	HQ - Headquarters	Incident 2018-3881 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 460 SOUTHBRIDGE ST
12/29/2018 15:16:22	12/29/2018 15:32:26	02 - Station 2	Incident 2018-3882 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 711 SOUTHBRIDGE ST
12/29/2018 15:16:27	12/29/2018 15:32:24	HQ - Headquarters	Incident 2018-3882 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 711 SOUTHBRIDGE ST
12/29/2018 17:37:57	12/29/2018 17:57:57	02 - Station 2	Incident 2018-3883 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 4 BRUNSWICK AVE
12/29/2018 17:38:08	12/29/2018 17:58:05	HQ - Headquarters	Incident 2018-3883 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 4 BRUNSWICK AVE
12/29/2018 20:13:25	12/29/2018 20:24:03	HQ - Headquarters	Incident 2018-3884 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 416 OXFORD STREET NO

Displays all Daily Log Items for the provided DATE RANGE, ACTIVITY CODE and selected APPARATUS. The Report does not include Daily Log entries where an APPARATUS was not selected.

START DATE	END DATE	STATION	NOTES
12/29/2018 20:13:48	12/29/2018 20:24:01	HQ - Headquarters	Incident 2018-3884 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 416 OXFORD STREET NO
12/29/2018 20:55:45	12/29/2018 21:12:55	HQ - Headquarters	Incident 2018-3885 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 1102 FOREST PARK DR
12/29/2018 20:57:00	12/29/2018 21:12:59	HQ - Headquarters	Incident 2018-3885 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 1102 FOREST PARK DR
12/30/2018 07:45:33	12/30/2018 07:57:48	HQ - Headquarters	Incident 2018-3886 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 323 OXFORD STREET NO
12/30/2018 07:49:24	12/30/2018 07:57:45	HQ - Headquarters	Incident 2018-3886 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 323 OXFORD STREET NO
12/30/2018 11:39:09	12/30/2018 11:52:24	HQ - Headquarters	Incident 2018-3888 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 32 SUMNER ST
12/30/2018 11:39:20	12/30/2018 11:52:21	HQ - Headquarters	Incident 2018-3888 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 32 SUMNER ST
12/30/2018 14:02:51	12/30/2018 14:12:00	HQ - Headquarters	Incident 2018-3890 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 385 SOUTHBRIDGE ST
12/30/2018 14:02:53	12/30/2018 14:11:57	HQ - Headquarters	Incident 2018-3890 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 385 SOUTHBRIDGE ST
12/30/2018 14:14:45	12/30/2018 14:28:19	HQ - Headquarters	Incident 2018-3891 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 275 PAKACHOAG ST 47
12/30/2018 14:15:22	12/30/2018 14:28:24	02 - Station 2	Incident 2018-3891 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 275 PAKACHOAG ST 47
12/30/2018 14:32:46	12/30/2018 14:39:05	HQ - Headquarters	Incident 2018-3892 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 460 SOUTHBRIDGE ST
12/30/2018 15:02:42	12/30/2018 15:08:36	HQ - Headquarters	Incident 2018-3894 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 8 INWOOD RD
12/30/2018 17:43:23	12/30/2018 18:02:15	HQ - Headquarters	Incident 2018-3896 - EMS call, excluding vehicle accident with injury: Apparatus E-3 responded to 31 PAUL ST
12/30/2018 17:45:38	12/30/2018 17:57:43	HQ - Headquarters	Incident 2018-3895 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 17 ARLINGTON ST 12
12/30/2018 17:46:05	12/30/2018 18:02:20	02 - Station 2	Incident 2018-3896 - EMS call, excluding vehicle accident with injury: Apparatus A-2 responded to 31 PAUL ST
12/30/2018 21:40:02	12/30/2018 21:50:00	HQ - Headquarters	Incident 2018-3897 - EMS call, excluding vehicle accident with injury: Apparatus A-1 responded to 185 MADISON ST

Displays all Daily Log Items for the provided DATE RANGE, ACTIVITY CODE and selected APPARATUS. The Report does not include Daily Log entries where an APPARATUS was not selected.